INSIDE THIS ISSUE

2019 Scholarship Golf Outing Page 4

2019 Conference Schedule Page 5

NCTGA Member Profile Page 7

New NCTGA Website Page 8

Attitude and Effort Page 9-10

NDSU Soil Testing Page 11-18



TALKINGTURF NORTH CENTRAL TURFGRASS ASSOCIATION

Summer 2019

President's Message

By Victor Heitkamp

Greetings NCTGA members,

I hope you are having a great summer as the dog days of summer are now upon us. I find it amazingly frustrating to look back on how fast the summer has gone, and how with every year that passes it seems like time slips by just a little quicker. It feels like just last week we were wondering if summer was ever going to get here, and when it finally did, we all had a variety of challenges to face. For some, the challenges were huge, and for others, challenges maybe in hindsight not that big, but at the time were challenges none the less. We are a resilient bunch of people and are always ready to adapt and take on any challenge life throws our way.

Hopefully by now most of your facilities are back open and as the weather begins to cool and the turf begins its recovery from whatever stresses it has been put under this summer, for me it is this time of year that I enjoy the most. Like us, mother natures resiliency is also truly remarkable. It is this time of year where we can look back at our challenges and fully appreciate what it is that we do, not only for ourselves, but for those who come to our facilities looking for an escape from their day to day routine and hopefully taking with them a memory or a moment that may be a forever moment. What we do isn't always about us, it's about

making a difference for those who live in our communities. So, as we wrap up another summer season, I challenge you to reflect and think about all the awesomeness you have brought to your communities.

I have a few updates I want to briefly mention. First update, by the time you receive this newsletter you will have received an email about the launch of our new website. Our domain name is still the same, NCTGA.net, and what you will find is a web page that has a fresh, clean look, and will be more user friendly. It will have a member only login section so we can put better content on the website and keep access to some of that content to only you, the member. Second update, the NCTGA Annual Scholarship and Educational Golf Outing is September 30th with superintendent Tom Johanns and the Bemidji Town and Country Club graciously hosting this year's event. I hope you mark this day on your calendar and join us. It is an awesome opportunity to take a day and network with your peers and break away from the grind of your daily routine. I hope to see you there.

Third update, the 2020 NCTGA Conference and Trade Show will be held at the Holiday Inn, Fargo, February 25-27. Sam and the committee have been working...

Continued on page 3....





Using real-time diagnostics to prevent real-big problems.



Defend your turf with Ferguson Waterworks and Rain Bird

With an intelligent control module built into every rotor, the Rain Bird® IC System™ provides real–time diagnostics and single–head control. From running instant pass/fail tests and voltage checks to quickly controlling individual rotors from anywhere, you have the power to defend your turf with Rain Bird.





Craig Vigen - CGCS Sales Representative (701) 205-8456

Bismarck, ND

Blaine, MN

Fargo, ND

Superior, WI

President's Message

Continued from page 1...

hard on the speaker line ups, more details to come. Please contact Sam, me or a board member if there are any topics and/or speakers you think would bring value to the conference. I want to give a big thank you to Sam and the board of directors for all the work they are doing. It has been an honor and a privilege to work with a great group of people. Final update, BMP is in full swing and is on track to be complete by 2020 NCTGA's Annual Conference. Garrett Schultz and the committee have done a fabulous job working on this project, and we are excited for the backing we have received from a variety of government agencies who are on board with us and this project.

With that enjoy the rest of your summer and I hope to see you in Bemidji on September 30.

Save

the

Date!

Take care- Victor

35th Annual Conference and Trade Show


Holiday Inn

Fargo, North Dakota

February 25th-27th, 2019



2019 Annual Scholarship and Educational Golf Outing



Golf Tournament

As always, the golf format will be a 2-person scramble with two flights. Prizes will be given out for First Place in each of the flights, along with proximity prizes for longest drive, longest putt, and closest to the hole. The scramble will begin as a shotgun start at 12:00pm noon (Central time). Lunch will be provided prior to the golf, starting at 11am. Following the golf will be the awards ceremony, and hors d'oeuvres and refreshments.

Equipment Demonstration

Come early to get a first-hand look and test some of the newest equipment available for the turfgrass industry. The equipment demonstration and networking session will begin at the Bemidji Town & Country Club maintenance facility at 9am.

Registration

Online registration can be found on the new NCTGA website at: www.nctga.net. You will find options for registering yourself and multiple people, and hole sponsorship opportunities for vendors.

Hotel

A block of rooms has been reserved for NCTGA members at the Americann (1200 Paul Bunyan Dr. NW). Call 218-751-3000 and mention "NCTGA" for reservations.

To register visit: www.nctga.net

Save the Date: February 25th-27th, 2020 35th Annual Conference and Trade Show

The 35th Annual NCTGA Conference and Trade Show will be held at the Holiday Inn in Fargo, ND from February 25th to 27th, 2020. Registration will be made available on the NCTGA website following the annual golf tournament.

Schedule at a Glance

Tuesday, February 25th

12:00pm - 1:00pm: Registration and Networking

1:00pm - 1:30pm: President's Message

1:30pm - 4:00pm: Seminars

4:00pm - 8:00pm: Trade Show and Social

Wednesday, February 26th

7:00am - 7:30am: Registration

7:30am - 8:30am: Seminar

8:30am - 11:00am: Trade Show, Silent Auction, Raffle

11:00am - 12:00pm: Annual Meeting

12:00pm - 1:00pm: Lunch

1:00pm - 5:00pm: Seminars

5:00pm - 6:30pm: Social

Thursday, February 27th

7:00am - 7:30am: Registration

7:30am - 11:30am: Seminars

12:00pm - 3:00pm: NCTGA Board Meeting



A family-owned company serving the green industry since 1950.

- Aquatics
- Fungicides
- Herbicides
- Landscape Supplies

- Insecticides
- Fertilizers
- Grass Seed
- Golf Accessories

The Tessman Company has the products, knowledge and service for all your turf supply needs.

St. Paul, MN

1300 Sylvan St. St. Paul, MN 55117

Phone: (651) 487-3850 Fax: (651) 487-3115 Fargo, ND

610 39th St. N Fargo, ND 58102

Phone: (701) 232-7238 Fax: (701) 232-7278 Tea, SD

46954 Mindy St. Tea, SD 57064

Phone: (605) 368-2586 Fax: (605) 368-2809



NCTGA Member Profile

Tom Johanns, Bemidji Town & Country Club

Employer

Bemidji Town & Country Club (Bemidji, MN)

Job Title

Superintendent

Education

Pennsylvania State University degree in Agriculture with an emphasis in Turfgrass Management

Years of Service in Your Position

29 years at Bemidji Town & Country Club

Years as an NCTGA Member

10

Favorite Part of the Turf Industry

The comradery and friendships I've made working in this profession.

Favorite Tool in the Shop

Moisture meter and Toro ProCore aerifier.

Favorite Job to Perform in this position

Aerifying— all of the methods we do.

Any Projects or Big Events this Year

No projects planned but we are considering putting driving range mats on our range tee.

Favorite Hobby

Fishing and watching my boys sporting activities.

Career advice for aspiring golf course superintendents

A superintendent has to be a very diverse individual. You need to be good with people, managing a budget and being sound agronomically. These traits are what made me interested in this profession.





1124 Main Ave W

West Fargo, ND 58078

Phone: (701) 281-9418 Fax: (701) 281-1217 info@ktirrigation.com

James Wolsky

Sales /Service Cell: (701) 793-3872

Irrigation Pumping Solutions



Check Out the New NCTGA Website!!!

In an effort to make our website more attractive and user friendly, the NCTGA website has been upgraded. For this, we hired Robin Parsons of Parsons Marketing Concepts to create a new user interface and registration system. All NCTGA members have received instructions for creating a personal login. By logging in you will have access to our member directory, jobs posting, and equipment sales. We are constantly looking for ways to make the website a more enjoyable experience for you, so please do not hesitate to reach out to Sam Bauer or a NCTGA board member for any comments on improving the website.



HOME

ABOUT US .

MEMBERSHIP/JOIN .

EVENTS .

FOR SALE

JOB BOARD

CONTACT

The purpose of the North Central
Turfgrass Association is to promote the
turfgrass industry, to encourage and
support the further study and research
of turf, to gather and distribute this
information, and to represent this
group on matters of policy regarding
the turfgrass industry.





UPCOMING EVENTS

Monday, September 30, 2019 9:00 AM Bernidji Country Club, 2425 Birchmont Beach Road, Bernidji, MN 56601

Annual Scholarship and Educational Golf Outing

Tuesday, February 25, 2020 8:30 AM
The Event VenueHoliday Inn in Fargo, ND 3803 13th Ave S,
Fargo, ND 58103
35th Annual Conference and Trade Show

Tuesday, February 25, 2020 9:00 AM Holiday Inn in Fargo, ND 3803 13th Ave S, Fargo, ND 58103 VENDOR REGISTRATION - 35th Annual Conference and Trade Show

MEMBERSHIP - JOIN

Join the Community of Turfgrass Leaders in the Upper Midwest

BECOME A MEMBER



Attitude and Effort

By Steve Keating (@LeadToday)

Many years ago I received some exceptional advice from a mentor that has stayed with me to this day. He told me to stop trying to control things I couldn't control. His recommendation was that I focus 100% of my attention on the things within my control. He also said to "block out" the uncontrollable things from my field of view because they were nothing more than distractions.

Through the years as I've considered his advice I've discovered there are far fewer controllable parts of my life than there are uncontrollable. I can influence what other people think of me but I can't control their thoughts. I can try to influence their actions but people will eventually do whatever they think is best for them. The list of stuff I can't control could go on forever.

But that's okay because through the years I've also discovered that I can control, completely, two areas of my life which have the greatest impact on my success and happiness.

Those areas are attitude and effort.

In his timeless book "Man's Search for Meaning" Viktor Frankl describes the "last of the human freedoms." He says that last freedom, a freedom that can be taken from no one, is the choice of one's own

attitude. Every human on earth is free, regardless of their circumstances, to choose their own attitude. No one and nothing can take that freedom away from you.

Before you say "well Viktor Frankl never worked where I work. He never experienced how tough my life is. He just doesn't know," before you say any of that you should know that Viktor Frankl is a surviver of Nazi Concentration Camps. He knows.

He would tell you that his choice of a positive attitude was literally life saving.

I can only imagine, actually I can't even imagine, how tough a fight it must have been each day for him to choose a positive attitude. But he fought the fight and won.

The choice of a positive attitude is a big fight for me even in my relatively cushy world. I lose that fight too often but this much I'm certain of: every single part of my life is better on the days I win that fight.

The question for you is will you consciously engage in that fight or will you allow other people and things to make the choice of your attitude for you?

Continued on page 10...



Attitude and Effort, continued

By Steve Keating (@LeadToday)

Continued from page 9...

When it comes to making an effort I realized early on that there was a direct correlation between the level of effort I put into something and the results I received from that effort. When I really want something I remember the words of the immortal Yoda who said, "Do. Or do not. There is no try."

You alone control the level of effort you're willing to put into any endeavor. You can allow obstacles to stop you or you can learn from them and use them as launching pads to your next level of success. You can make excuses or you can make progress. It's hard to do both.

As Babe Ruth said, "It's hard to beat a person who never gives up." If you allow yourself to be beaten you can be assured there is someone close by willing to put in the effort to do just that...beat you.

If you adopt Yoda's thinking then you won't try to succeed you'll do it.

(Editors note: the NCTGA would like to thank Steve Keating for allowing us to publish his leadership articles)





Alan Zuk, Associate Professor, Department of Plant Sciences **Esther McGinnis**, Assistant Professor, Department of Plant Sciences

The majority of the soil samples the NDSU Soil Testing Lab tests are for crop producers. Homeowners and turfgrass managers also rely on the lab for soil analyses to amend soil before planting grass seed or make soil nutrient adjustments after turf establishment.

However, the interpretation of the NDSU Soil Lab test report will be different for turfgrass managers and crop producers. Homeowners and turfgrass managers can use this publication to clarify the results for the purpose of establishing and maintaining a healthy lawn.

Soil Sample Preparation

To prepare a soil sample for testing, take samples from the upper 4 to 6 inches of bare soil if establishing a new lawn and from the upper 3 inches if sampling soil from an established lawn. We recommend that you take 15 to 20 random soil samples from each area to be tested: front yard, backyard, garden, etc.

Most homeowners likely won't make that effort, but providing sufficient samples from across the entire area is important because it will ensure accurate test results. Avoid collecting from unrepresentative areas such as dog urine spots and fertilizer spills.

You can use a core sampler or a hand trowel (Figure 1). Be sure to remove the thatch layer to avoid an



North Dakota State University, Fargo, North Dakota

March 2017




Figure 1. A ¾-inch core sampler and a hand trowel; both are suitable for collecting soil samples. (W. Upham, Kansas State University)

inaccurate high-organic matter reading (Figure 2). Place the cores or trowel samples in a clean bucket and thoroughly mix together. Send about 1 pint of the mixed soil sample from each area to be tested. You can send soil samples in a plastic or paper bag or in sample bags provided by the lab.

Soil pH

The first chemical analysis category listed on the soil test report is soil pH (Figure 3). The pH scale ranges from 0 to 14 and indicates the level of hydrogen ions in the soil solution. Active hydrogen ions (H+) cause soil acidity, while hydroxyl groups (-OH) cause soil alkalinity.

A soil that contains a high amount of hydrogen ions is called "acidic" (pH below 7) and a soil that contains a high amount of hydroxyl ions is referred to as "basic" or "alkaline" (pH above 7). A soil with a pH of 7 is referred to as "neutral."

The ideal soil pH for managing most turfgrasses is 6.5 because most nutrients are available at this slightly acidic level. However, various grass species may differ slightly from this pH level. Maintaining the proper pH is important because some vital nutrients become "fixed" (held tightly) by the soil and become unavailable to the turf as the soil pH extends above or below neutral.

Although 6.5 is optimal, turfgrasses will grow and, in most cases, thrive in soils above or below that ideal benchmark as long as proper cultural practices are used.



Figure 2. Thatch is an accumulation of dead and living organic matter above the soil and below the turf canopy. Remove this layer from your soil samples to avoid an incorrect soil organic matter value. (A. Zuk, NDSU)




Figure 3. Soil test options as they appear on the NDSU soil test report form. Soil sample test results for turfgrass management purposes are based on a 6-inch depth.

Soils in North Dakota tend to be alkaline and range as high as 8.5 to 9. At these high pH levels, turf yellowing caused by iron chlorosis is quite common because iron molecules in the soil become unavailable to turf roots. As a result, chlorophyll production in plant cells is hindered and the leaves begin to turn dull green to yellow. See the section on "Iron" to correct iron chlorosis of turf.

Soil pH is based on a logarithmic scale. Therefore, a soil with a pH of 8.0 is 10 times more alkaline than a soil with a pH of 7.0 and a soil with a pH of 9.0 is 100 times more alkaline than a soil with a pH of 7.0.

Soil pH can be adjusted downward (more acidic) with sulfur or upward (more alkaline) with lime. Refer to Table 1 for directions in using sulfur to acidify soil.

Because soils in North Dakota are predominantly alkaline, the necessity to lime the soil to adjust the pH upward is extremely uncommon. Do not use lime to treat dog urine damage in lawns.

Turf managers in North Dakota typically have to incorporate a sulfur amendment to lower the soil pH. In some cases, the pH may be so alkaline (7.5 or higher) that incorporating sulfur may be ineffective because the soil's buffering capacity (its ability to withstand chemical change) is so high that the pH cannot be corrected. Irrigation water containing high levels of dissolved carbonates also can raise the soil pH and even nullify the effects of a sulfur soil amendment.

For new lawns, incorporate sulfur into soil to a depth of 6 inches before planting. For established turfgrasses, reduce the rate by half and apply only during spring or fall in conjunction with core aeration, and do not apply more than 5 pounds per 1,000 feet² at any one time.

If applying elemental sulfur to bentgrass putting greens, do not apply more than 2 pounds per 1,000 feet² at any one time. If applying to annual bluegrass putting greens, do not apply more than 0.8 pound per 1,000 feet² at any one time. (Fagerness et al., 1998).

Table 1. Approximate amounts of elemental sulfur needed to lower pH for various soil textures.

Pounds sulfur/1,000 feet ²		
Sand	Loam	Clay
46	57	69
28	34	46
11	18	23
2	4	7
	46 28 11	Sand Loam 46 57 28 34 11 18

Nitrogen

The next box on the soil test report notes (NO₃-N lbs./A), which is pounds of nitrogen (N) per acre in the nitrate form. Although nitrate is immediately available for plant uptake, this number is not really significant to turf managers because nitrate is very mobile in the soil and can drop quickly: for example, after a heavy rain. The nitrate value reported represents available nitrogen when the soil samples were taken, and because it's a fluid number, the soil nitrate level can change by the time you get the report back from the lab. Evidence of this would be a yellowing (chlorosis) of older turf blades even though the lab reported an adequate soil nitrate level.

To ensure adequate nitrogen availability for your lawn, we recommend that homeowners apply 1 pound N per 1,000 feet² on Memorial Day, the Fourth of July and Labor Day for a total of 3 pounds of nitrogen per 1,000 square feet per year. The Fourth of July application should be omitted if the lawn is under drought stress.

Golf course superintendents often apply as much as 5 to 6 pounds N per 1,000 feet² per year to their greens and fairways because their turf is constantly under stress from foot and vehicular traffic and is at a low mowing height.

Make sure your spreader is calibrated to apply the proper amount of fertilizer per 1,000 feet². To apply nitrogen, note the first number of the analysis (the three numbers on the front of the fertilizer package represent the percent bag weight of nitrogen, phosphorus and potassium in that order). For example, a 50-pound bag of 29-3-5 fertilizer contains 14.5 pounds of nitrogen per bag (.29 x 50 pounds = 14.5 pounds N). That's enough nitrogen to fertilize 14,500 feet² of turfgrass.

Organic Matter

Organic matter is reported as a percent of total soil. The ideal amount of soil organic matter for turf management ranges from 2 to 4 percent and should not exceed 5 percent.

About 95 percent of soil nitrogen is found in the soil organic matter (Soltanpour and Follett, 2007). However, much of this nitrogen is part of the organic matter and needs to be mineralized (to nitrate) by soil microorganisms to be available to the grass plants. About 30 pounds of nitrogen per acre (approximately 7 pounds per /1,000 feet²) will be released (mineralized to nitrate) during the growing season from each 1 percent of organic matter present (Soltanpour and Follett, 2007).

Organic matter also increases the water-holding capacity and the cation-exchange capacity (CEC) of soil. The CEC is a measurement of the soil's ability to hold cations in place and to prevent their loss from leaching and runoff. Although organic matter is beneficial when incorporated into sandy and clay soils, too much organic matter may lead to layering in the soil profile and the soil drying out quickly. Both conditions can cause poor water infiltration and puddling on the soil surface.

Some examples of organic matter that can be incorporated to amend the soil are compost, sphagnum peat moss, leaves, cow manure and green manures. Spread 2 to 4 inches of organic matter on the soil surface and incorporate into the top 6 inches of soil before planting.

Phosphorus

Phosphorus is reported in parts per million (ppm). The optimum level ranges from 15 to 50 ppm.

Phosphorus (P) is essential for healthy turfgrass root development. The amount required varies among soil types and maintenance regimes (Table 2). Do not apply more than 2 pounds P_2O_5 per 1,000 feet² to established turf at any one time.

Overapplication of phosphorus can lead to runoff into waterways, which may promote the rapid growth of dense algal blooms. Large blooms often deplete the water of oxygen because sunlight cannot reach oxygen-producing aquatic plant life below the water surface. As a result, large numbers of fish may die.

Table 2. Phosphorus fertilizer recommendations for turfgrass based on soil test results.

		Pounds P ₂ O ₅ /1,000 feet ² /year		
Soil Test Available (ppm)*	: P	General Turf	High- quality Turf	New Turf**
0-6	Very low	3	4	5
7-12	Low	2	3	4
13-28	Medium	1	2	3
>29	High	0	0-1	1-2

(Fagerness et al.,1998)

Where a range of recommended P_2O_5 rates is given, use the higher rate if the available P from the soil test is in the lower end of its respective range; conversely, use the lower rate if the available P is in the higher end of its respective range.

Potassium

Potassium is reported in parts per million (ppm). The optimum level ranges from 200 to 300 ppm.

Potassium (K) is an essential component in regulating cellular electrical and water balance and controlling stomatal aperture. It's also used as a catalyst in many chemical reactions inside and outside of the plant cells. As with phosphorus, the amount required varies among soil types and maintenance regimes (Table 3).

Table 3. Potassium fertilizer recommendations for turfgrass based on soil test results.

Soil Test		Pounds K ₂ O/1,000 feet ² /year*	
Available K (ppm)**		General Turf	High-Quality Turf
0-40	Very low	4	5
41-175	Low	2-3	3-4
175-250	Medium	0-1	2
250-300	High	0	0-1
300+	Very high	0	0

(Fagerness et al.,1998)

*Do not apply more than 1.5 pounds K_2O per 1,000 feet² to established turf at any one time. Where a range of recommended K_2O rates is given, use the higher rate if the available K from the soil test is in the lower end of its respective range; conversely, use the lower rate if the available K is in the higher end of its respective range.

Soluble Salts

Electrical conductivity (EC), reported in millimhos per centimeter (mmhos/cm), is a unit of conductivity and indicates the amount of salt in the soil extract. Soil EC can range from 0 to 50 mmhos/cm (seawater). An increase in EC or mmhos/cm represents an increase in soil salt content. Table 4 provides the EC threshold number for various turfgrass species managed in North Dakota.

Soil salinity can be caused by poor-quality irrigation water, lack of precipitation and capillary wicking from a high water table. Soils in western North Dakota tend to be saline because of low precipitation and because the local soil parent materials are of old marine origin. Not enough rain water is available to leach the salts from the soil that accumulates as plant biomass, such as leaves and roots decay.

^{*} Olsen test method.

^{**} Incorporate into the surface 1 to 2 inches of soil before planting.

^{**}Ammonium acetate test method.

Upward (capillary) wicking is the primary cause of soil salinity in eastern North Dakota. The eastern part of the state has a high water table; in some areas, it is as shallow as 3 feet below the soil surface. The shallow water table raises during heavy rain events, bringing salts up to the soil surface. After the rain stops, the water table recedes, but the salts remain at or below the soil surface due to water evaporation from the surface.

Irrigation with water containing salts also can cause soil salinity. Many groundwater irrigation water sources are saline, and excessive irrigation with these water sources can create salinity problems.

The easiest way to remediate a saline soil is to leach it with good-quality water (low in dissolved salts and sodium). However, this simple remedy may not be possible if good-quality water is not available at the problem site. Refer to Table 5 for the amount of good-quality water required to leach a saline soil of accumulated salt.

Do not incorporate gypsum to remediate soil salinity. Gypsum should be used only to remediate sodic or saline sodic soil conditions. Please contact your local NDSU Extension agent for more information on sodic soils.

Zinc

Zinc, reported in parts per million (ppm), is rarely deficient in turf. A number below 20 ppm is considered low, while 20 to 50 ppm is sufficient for managing turf. If a deficiency occurs, elemental zinc (Zn²) can be applied as a minor nutrient application.

Zinc toxicity on turf is more common than deficiencies, especially if composts containing high levels of zinc are used.

Iron

Iron, reported in parts per million (ppm), is plentiful in our soil but often deficient in turfgrass and other ornamental plants because it often becomes unavailable in alkaline soil.

Iron (Fe) is an element found in several primary plant molecules, including chloroplasts and hemoglobin, which are responsible for photosynthesis and oxygen transport respectively. The NDSU Soil Testing Lab uses the diethylenetriaminepentaacetic acid (DTPA) extraction method. According to that method, a test result at or less than 2.5 ppm is considered to be low, 2.6 to 5 ppm is considered medium and greater than 5 ppm is high (sufficient) (Carrow et al., 2001a).

Table 4. Electrical conductivity threshold numbers for various turfgrasses managed in North Dakota.

Turfgrasses	Soluble Salts (EC or mmhos/cm)
Annual bluegrass	<3
Kentucky bluegrass	<4
Crested wheatgrass	<4
Red fescue	<4
Alkaligrass	3 to 4
Fairway wheatgrass	4 to 8
Tall wheatgrass	4 to 8
Tall fescue	4 to 8
Perennial ryegrass	4 to 8
Creeping bentgrass	3 to 16*

^{*}Salt-tolerance varies widely among creeping bentgrass cultivars.

Table 5. The amount of water needed to leach salt through 1 foot of saline soil.

Amount of good-quality water needed	Reduction in salt content*
6 inches	50%
12 inches	80%
25 inches	90%

^{*}Although accumulated salts can be leached from the soil with good-quality water, saline conditions will return quickly after a heavy rain if wicking of salt from a high water table is the usual cause.

Iron-deficient turfgrass has a mottled, yellowish/greenish (chlorotic) appearance, compared with a nitrogen-deficient turf, which is uniformly yellowish/greenish across the turf canopy.

For iron-deficient turf, a foliar application of actual iron can be applied at 0.012 to 0.024 pound per /1,000 feet² in 1 to 5 gallons of water as often as needed (Carrow et. al, 2001b). Use the lower rate when the air temperature exceeds 85 F, and avoid foliar applications of iron when the turf is under stress because burning can occur.

Also avoid foliar applications if rain is imminent. Do not irrigate for three to four hours afterward to allow the leaves to absorb the iron.

You also can use iron sulfate at 0.25 pound iron per 1,000 feet². Green-up should occur in 24 to 48 hours and last about two weeks.

If the soil pH is greater than 7.2, use Fe-EDDHA. Several EDDHA [ethylenediamine-N,N'-bis (2-hydroxyphenylacetic acid)]-based iron chelate products such as Sequestar 6% that are available at garden centers and online outlets can be applied by homeowners to treat iron-deficient turf.

The only method to remediate an iron-deficient soil is to acidify it with sulfur. Refer to the sulfur section and Table 1 of this publication for rates.

Kentucky bluegrass can appear to be chlorotic after green-up in early spring in North Dakota because the roots are too cold to absorb an adequate amount of iron. You don't need to apply iron at that time. The turf will green up uniformly once the soil warms to 50 to 55 F.

Manganese

Manganese is reported in parts per million. The optimal soil range is 1 to 2+ ppm.

Like iron, manganese (Mn) is an element involved in the synthesis of chlorophyll. Turfgrass will become chlorotic while subjected to a Mn deficiency because it will cause a disruption of the photosynthetic process, which leads to yellowing of the leaf tissue. Deficiencies can occur on alkaline soils with a high pH.

Manganese can be applied as a granular fertilizer or a fertilizer minor. Minors consist of the following essential nutrients: boron (B), chlorine (Cl), copper (Cu), iron (Fe), nickle (Ni), manganese (Mn), molybdenum (Mo) and zinc (Zn) but are required by the plant in lesser amounts. If a minor is added to a plant fertilizer, it is listed as a fourth number in the analysis and often followed by the element's symbol in parenthesis. Manganese also can be applied in a liquid foliar formulation. Apply manganese sulfate monohydrate (MnSO₄·H₂O) at 0.025 pound actual Mn per 1,000 feet² in 1 to 3 gallons of water (Carrow et. al, 2001c).

Copper

Copper is reported in ppm. Most soils typically contain between 1 and 40 ppm of total copper. The NDSU Soil Testing Lab uses the DTPA extraction method to detect copper micronutrient availability. If the amount of available copper in the soil is less than 0.2, it is considered low; if it is 0.2 to 0.4, it is considered medium; and if it is greater than 0.4, it is high.

If a deficiency is detected, apply a foliar application at 0.13 pound per /acre or 0.003 pound per /1,000 feet².

Copper is used for chlorophyll formation and also catalyzes several chemical reactions. Deficiencies are uncommon but can occur on heavily leached sands and organic soils because of strong binding sites that fix the copper molecules, making them unavailable for root uptake (Carrow et. al, 2001d).

To avoid toxic levels, do not apply copper unless a true deficiency has been identified. Copper toxicity can hinder the turf's ability to absorb iron and cause chlorotic conditions. Apply a foliar treatment to a small area and observe the response for a week before treating the entire site.

Sulfur

The NDSU Soil Testing Lab reports sulfur in pounds of sulfur per acre in the sulfate (SO_4) form. The lab uses calcium phosphate ($Ca(H_2PO_4)_2$) to extract sulfate from the soil. Therefore, a moderate range would be 20 to 40 pounds per /acre (.46 to .92 pound per 1,000 feet²) (Carrow and Duncan, 2011).

Sulfur's primary role in plants is in the formation of cysteine and methionine, two amino acids that are required in many physiological functions and chemical reactions.



The Clean Air Act and subsequent amendments to that law imposed reductions on sulfur dioxide (SO₂) emissions. Prior to the Clean Air Act, soil sulfur deficiencies were considered rare in the U.S. except on sandy soils.

At that time, many industries in the U.S. burned highsulfur fossil fuels, especially in coal-burning power plants and smelting plants. The heavy sulfur dioxide emissions from these industries settled to the Earth's surface during rainfall in amounts that exceeded the demands of turfgrass (Christians, 2011).

The new federal regulations require fossil fuelburning industries to reduce sulfur dioxide emissions by employing a number of strategies, including the installation of more efficient lime scrubbers in their smokestacks to reduce ozone-depleting gas emissions, including sulfate and sulfur dioxide, into the atmosphere.

Sulfur dioxide deposition in North Dakota within recent years has ranged from 0.036 to 0.045 pound per 1,000 feet² (National Atmospheric Deposition Program, 2016). Therefore, sulfur applications may be required in North Dakota to prevent deficiencies.

Elemental and other reduced forms of sulfur must be oxidized by soil microbes into sulfate before it is available for root uptake. This oxidation may take a year or more. Therefore, sulfate fertilizers such as ammonium sulfate, potassium sulfate (K₂SO₄) or magnesium sulfate (MgSO₄) should be applied to treat a sulfur deficiency because they are immediately available to the turf.

An application of 0.5 to 2 pounds of granular sulfur per year per 1,000 feet² is usually sufficient. A foliar application of 0.05 pound S (as K_2SO_4) in 3 to 5 gallons of water per 1,000 feet² also may be used. The application of sulfur should provide a greening response within one to three days if it is deficient (Carrow et al, 2001e).

Chloride

The NDSU soil test analysis reports chloride (CI) in pounds per acre. Chloride is involved in cell multiplication in leaf tissue and water splitting during the photosynthetic process.

It is required in concentrations 100 ppm (microgram/kilogram) or less in plant dry weight tissue. Because the required levels are so low, deficiencies in turf are almost nonexistent. The required amount is typically provided by rain.

Draining chlorinated swimming pool water on your lawn is unlikely to damage turfgrass or provide any beneficial effects.

Reference Sources

- Carrow, R.N., and R. Duncan. 2011. Best management practices for saline and sodic turfgrass soils: Assessment and reclamation. p. 79. CRC Press, Boca Raton, Fla.
- Carrow, R.N., D.V. Waddington and P.E. Rieke. 2001a. Turfgrass soil fertility and chemical problems. p. 251. Wiley, Hoboken, N.J.
- Carrow, R.N., D.V. Waddington and P.E. Rieke. 2001b. Turfgrass soil fertility and chemical problems. pp. 354-355. Wiley, Hoboken, N.J.
- Carrow, R.N., D.V. Waddington and P.E. Rieke. 2001c. Turfgrass soil fertility and chemical problems. p. 253. Wiley, Hoboken, N.J.
- Carrow, R.N., D.V. Waddington and P.E. Rieke. 2001d. Turfgrass soil fertility and chemical problems. p. 251. Wiley, Hoboken, N.J.
- Carrow, R.N., D.V. Waddington and P.E. Rieke. 2001e. Turfgrass soil fertility and chemical problems. p. 242. Wiley, Hoboken, N.J.
- Christians, N.E. 2011. Fundamentals of turfgrass management. p. 163. Wiley, Hoboken, N.J.
- Fagerness, M., S. Keeley and D. Whitney. 1998. A guide to turfgrass nutrient recommendations. Kansas State University Cooperative Extension bulletin MF-2311.
- National Atmospheric Deposition Program. 2016 (cited for this bulletin on Oct. 24, 2016). http://nadp.sws.uiuc.edu/data/NTN/
- Soltanpour, P.N., and R.H. Follett. 2007. Soil test explanation. Colorado State University Cooperative Extension Service. http://extension.colostate.edu/topic-areas/ agriculture/soil-test-explanation-0-502/



Homeowners and turfgrass managers can use this publication to clarify the results for the purpose of establishing and maintaining a healthy lawn.

The NDSU Extension Service does not endorse commercial products or companies even though reference may be made to tradenames, trademarks or service names.

NDSU encourages you to use and share this content, but please do so under the conditions of our Creative Commons license. You may copy, distribute, transmit and adapt this work as long as you give full attribution, don't use the work for commercial purposes and share your resulting work similarly. For more information, visit www.ag.ndsu.edu/agcomm/creative-commons.

For more information on this and other topics, see www.ag.ndsu.edu

County commissions, North Dakota State University and U.S. Department of Agriculture cooperating. NDSU does not discriminate in its programs and activities on the basis of age, color, gender expression/identity, genetic information, marital status, national origin, participation in lawful off-campus activity, physical or mental disability, pregnancy, public assistance status, race, religion, sex, sexual orientation, spousal relationship to current employee, or veteran status, as applicable. Direct inquiries to Vice Provost for Title IX/ADA Coordinator, Old Main 201, NDSU Main Campus, 701-231-7708, ndsu.eoaa@ndsu.edu. This publication will be made available in alternative formats for people with disabilities upon request, 701-231-7881.

NCTGA Board of Directors

Victor Heitkamp

President Fargo Park District 701 Main Avenue Fargo, ND 58103

Cammi Campbell

Vice President Minot Park District PO Box 538 Minot, ND 58701

Kevin Gruber

Secretery/Treasurer Little Crow Country Club 15980 Highway 23 NE Spicer, MN 56288

Melissa Grafenauer

Director University of North Dakota 3790 Campus Rd Stop 9032 Grand Forks, ND 58202

Garrett Schultz

Director Prairie West Golf Course 2709 Longspur Trail Mandan, ND 58544

Alex Orr

Director Grand Forks Park District 1060 47th Avenue South Grand Forks, ND 58201

Kyle Fick

Director Bully Pulpit Golf Course 3771 Bible Camp Road Medora, ND 58645

Tim Fleegel

Director MTI Distributing, Inc 4831 Azelia Ave N #100 Brooklyn Center, MN 55429

Matt Schmid

Director Superior Turf Services 17525 Lorence Way Eden Prairie, MN 55346

Sam Bauer, Executive Director info.nctga@gmail.com



3150 27TH AVE. N GRAND FORKS, ND 58203

www.rivards.com

Turf / Lawn Seed • Native Grass / Forb Seed • Hydro Mulch • T & O Fertilizer & Chemical • Ice Melter

















TOLL FREE: 800-731-5765

Mike Kaul:	<u>218-779-2543</u>	mike@rivards.com	Turf Seed / Specialty Products
Larry Rivard:	218-779-1214	larry@rivards.com	Turf Seed
Ross Rivard:	701-330-3699	ross@rivards.com	Native/Forage/SpecialtySeed